



ZD-939A HOT AIR SMD REWORK STATION

ADJUSTABLE TEMPERATURE
ADJUSTABLE AIR FLOW RATE
AUTOMATIC COOLING MODE
AUTOMATIC SHUT DOWN
TEMPERATURE : 100°C TO 410°C
AIR FLOW : 2L / MIN MAXIMUM SETTING
SUPPLIED WITH 4 NOZZLES
220 - 240 V AC 50Hz
WEIGHT : 3.9Kg



ZD929c SOLDER STATION TEMP CONTROL

PRESET TIP TEMPERATURE 160°C TO 480°C
TIP TEMPERATURE MAINTAINED AT +- 8°C
DIGITAL TEMPERATURE DISPLAY
SENSOR AT TIP OF SOLDER IRON
24V AC FULLY ISOLATED FROM MAINS
48 WATT HEATER
SOLDER STAND HOLDER
LEFT HAND OR RIGHT HAND USE
CLEANING SPONGE
ON / OFF SWITCH
230V AC 50Hz



ZD99 SOLDER STATION TEMP CONTROL

58 WATT HEATER
VARIABLE TEMPERATURE CONTROL
SOLDER STAND HOLDER
CLEANING SPONGE
ON / OFF SWITCH
LONG LIFE TIP
230V AC 50Hz



ZD932

SOLDER STATION TEMP CONTROL

- 48 WATT HEATER
- VARIABLE TEMPERATURE CONTROL
- 250 TO 450 * C RANGE
- SOLDER STAND HOLDER
- LEFT HAND OR RIGHT HAND USE
- CLEANING SPONGE
- ON / OFF SWITCH
- 230V AC 50Hz

REPLACE ZD200C & ZD30C SOLDER IRON

AC CORD WITH 16A 3PIN PLUG

ZD721C/30

SOLDER IRON 30WATT , 230V AC

ZD721C/40

SOLDER IRON 40WATT , 230V AC

ZD721C/60

SOLDER IRON 60WATT , 230V AC

AC CORD WITH 3PIN PLUG

SABS APPROVED

ZDC1/1 SOLDER TIP 30/40W 1.5mm

ZDC1/2 SOLDER TIP 30/40W 0.5mm

ZDC1/3 SOLDER TIP30/40W 3.0mm

ZDC1/4 SOLDER TIP 30/40W 2.0mm

ZDC2-1 SOLDER TIP 60W 1.5mm

ZDC2-2 SOLDER TIP 60W 0.5mm

ZDC2-3 SOLDER TIP 60W 3 mm

ZDC2-4 SOLDER TIP 60W 2 mm



REPLACE ZD401

ZD724B/30

SOLDER IRON 30WATT , 250V AC

ZD724B/40

SOLDER IRON 40WATT , 250V AC

ZD724B/60

SOLDER IRON 60WATT , 250V AC

ZDB1/1 SOLDER TIP 30/40W POINTED

ZDB1/2 SOLDER TIP 30/40W 2mm

ZDB3/1 SOLDER TIP 60W POINTED



ZD-20U



ZD 20U

USB SOLDER IRON .

POWER SUPPLY : USB 5V DC

HEATER RATING : 8 WATT

COMBINATION OF HEATING ELEMENT AND SOLDER TIP

HEAT UP IN LESS THAN 15 SECONDS

LONG LIFE TIP WITH PROTECTIVE COVER

SMALL AND LIGHT WEIGHT



ZD70DB

SOLDER IRON PTC TEMP CONTROL

Fast heat up (15 seconds) with PTC control

30 WATT CERAMIC HEATER

LED POWER INDICATOR

Heats up at equivalent of 130 watt , runs at 30 watt .

ZDN1/1 SOLDER TIP ZD70DB 1.5mm

ZDN1/2 SOLDER TIP ZD70DB 0.5mm

ZDN1/3 SOLDER TIP ZD70DB 3.0mm

ZDN1/4 SOLDER TIP ZD70DB 2.0mm



ZD401/100

SOLDER IRON 100 WATT , 230V AC

ZD401/80

SOLDER IRON 80 WATT , 230V AC

250V AC 3PIN RSA PLUG

ZDB4/1 SOLDER TIP 80 WATT

ZDB5/1 SOLDER TIP 100 WATT



ZD-211

DE-SOLDER VACUUM PUMP WITH HEATER

SINGLE HANDED OPERATION

LOCKABLE SPRING LOADED PLUNGER

30 WATT HEATER

SPARE TIP : ZDD4/1

220-240V AC 50Hz