

# HDMI CABLES



### HDMI CABLE

High-Definition Multimedia Interface

HE14035/1.2	1.2 METERS
HE14035/20	2 METERS
HE14035/50	5 METERS
HE14035/1A	10 METERS
HE14035/1A5	15 METERS
HE14035/2A	20 METERS

LOW LOSS CABLE ( 26 AWG LONG LENGTHS ) WITH GOLD PLUGS AND RF FILTER

#### Specifications

Hot pluggable	Yes , VERSION 1.4
Audio signal	PCM, DVD-Audio, Super Audio CD, Dolby True HD, 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, etc.
Video signal	1080i, 1080p, 1440p, etc.
Bandwidth	10.2 Gbit/s at 340 M pixel/s
Pins	19

Available in blister pack or colour box


### HDMI CABLE

High-Definition Multimedia Interface

JHHC001/15	1.2 METERS
JHHC001/20	2 METERS
JHHC001/30	3 METERS
JHHC001/50	5 METERS
JHHC001/1A	10 METERS

#### Specifications

Hot pluggable	Yes , VERSION 1.4
Audio signal	PCM, DVD-Audio, Super Audio CD, Dolby True HD, 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, etc.
Video signal	1080i, 1080p, 1440p, etc.
Bandwidth	10.2 Gbit/s at 340 M pixel/s
Pins	19



**J1064A/20**                      LENGTH = 2M , FLAT CABLE  
**High-Definition Multimedia Interface**  
**FLAT HDMI CABLE**

**Specifications**

Audio signal	PCM, DVD-Audio, Super Audio CD, Dolby True HD, DTS-HD Master Audio
Video signal	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, etc.
Bandwidth	10.2 Gbit/s at 340 M pixel/s



**JX110/20**  
**QK8522MINI**

**HDMI MALE (A) TO HDMI MINI (D) MALE 1.8M**  
**High-Definition Multimedia Interface**

**Specifications**

Audio signal	PCM, DVD-Audio, Super Audio CD, Dolby True HD, DTS-HD
Video signal	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, etc.
Bandwidth	10.2 Gbit/s at 340 M pixel/s



**AK3390**  
**DISPLAY PORT TO HDMI , 1.8 MTRS**  
**High-Definition Multimedia Interface**

**Specifications**

Audio signal	PCM, DVD-Audio, Super Audio CD, Dolby True HD, DTS-HD
Video signal	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, etc.
Bandwidth	10.2 Gbit/s at 340 M pixel/s



**AK3980**  
**DISPLAY PORT MALE TO MALE**  
**High-Definition Multimedia Interface**  
**LENGTH : 2 , 3 & 5 METERS**

**Specifications**


Audio signal	PCM, DVD-Audio, Super Audio CD, Dolby True HD, DTS-HD
Video signal	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, etc.
Bandwidth	10.2 Gbit/s at 340 M pixel/s



**AK3390**  
**HDMI TO DISPLAY PORT 30cm**  
**High-Definition Multimedia Interface**

**Specifications**

Audio signal	PCM, DVD-Audio, Super Audio CD, Dolby True HD, DTS-HD
Video signal	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, etc.
Bandwidth	10.2 Gbit/s at 340 M pixel/s



**HD Conversion Cable**

**HDMI**  
HDMI to VGA and Audio Converter

100%

**JHPC015/20                    2 meters**  
**JHPC015/30                    3 meters**  
**JHPC015/50                    5 meters**

**HDMI IN TO VGA & AUDIO OUT  
CONVERTER**


3.5mm STEREO AUDIO OUTPUT PLUG

720 / 1080I / 1080P RESOLUTION

LENGTH : 2 METERS


FOR PROJECTOR , MONITOR , TV

in colour blister box




**VGA 15PIN MALE TO MALE**

**JX40004B/12                    1.2 METERS**  
**JX40004B/20                    2 METERS**  
**JX40004B/50                    5 METERS**



**VGA 15PIN MALE TO FEMALE**


**JX40005/20                    2 METERS**  
**JX40005/50                    5 METERS**  
**JX40005/1A                    10 METERS**




**VGA 15PIN MALE TO MALE  
WITH FERRITE RF FILTER**

**JX40006B/20                    2 METERS**  
**JX40006B/30                    3 METERS**  
**JX40006B/50                    5 METERS**  
**JX40006B/1A                    10 METERS**  
**JX40006B/1A5                    15 METERS**  
**JX40006B/2A                    20 METERS**  
**JX40006B/3A                    30 METERS**

COLOUR : LIGHT GREY  
COLOUR JX40008B/3A : BLACK



VGA port, view from Wire Side



**J1072**

**VGA MALE TO 3 RCA RGB MALE**

LENGTH : 2 METERS

DISPLAY CONVERTER CABLE

# HDMI & VGA CONNECTORS



## JX118 QK10P006

HDMI FEMALE TO HDMI FEMALE  
GOLD PLATED  
HDMI 19 PIN



## VGAF

VGA FEMALE TO VGA FEMALE  
VGA 15 PIN



## JHHA026

HDMI A FEMALE TO HDMI  
MINI MALE (C)



## QK10P001

HDMI A FEMALE TO HDMI  
MICRO MALE (D)



## HE14040

DVI-D / HDMI ADAPTOR  
GOLD PLATED  
DVI-D 18 + 1 FEMALE  
HDMI 19 PIN MALE



## JX119

DVI-D / HDMI ADAPTOR  
GOLD PLATED  
DVI-D 18 + 1 MALE  
HDMI 19 PIN FEMALE



## JHHA012

HDMI "A" FEMALE TO MICRO  
HDMI "D" MALE ADAPTOR PLUG  
GOLD FINISH  
BLACK PLASTIC OVER MOULD



## JOAP006

OPTICAL CABLE JOINER FOR  
TOSLINK CABLE . BI-  
DIRECTIONAL .



VGA 15 PIN FEMALE TO HDMI  
MALE (A) ADAPTOR  
VGA 15 PIN MALE TO HDMI  
FEMALE (A) ADAPTOR



## JX119

DVI-D / HDMI ADAPTOR  
GOLD PLATED  
DVI-D 18 + 1 MALE  
HDMI 19 PIN FEMALE



## JX40009/18

### COMPUTER CORD

DB 25P FEMALE TO CEN 36P MALE


1.8 METERS

LIGHT GREY

# HE14035 /



## HDMI MALE TO MALE TYPE "A"



CABLE DETAILS	HDMI VERSION	
	1.3B	1.4
Brand Name	JUS	JUS
Manufacturer	HINKE ELECTRONICS HDMI compliant Certificate no SZ#489	
Plugs Type :	19 Pin gold plated , moulded Type A - 13.9 mm X 4.45mm	
Cable : Black - 1.2 to 5 meters long	28 AWG , 7.3mm OD	28 AWG , 7.3mm OD
Cable : Black - 6 to 20 meters , longest use-able = 20 meters	26 AWG , 8 mm OD	26 AWG , 8 mm OD
Bitrate	10.2 Gbit/s (340 MHz)	
Hot pluggable	Yes	
Audio signal	LPCM, Dolby Digital, DTS, DVD-Audio, Super Audio CD, Dolby Digital Plus, Dolby TrueHD, DTS-HD High Resolution Audio, DTS-HD Master Audio, MPCM, DSD, DST	
Video signal	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, 1600p, 2160p,	
Data signal	Yes	
Package : 1.2 to 5 meters	Blister & card	Blister & card
Package : 6 to 20 meters	Colour box	Colour box
Package : optional	Hanging P E Bag	

TECHNICAL SPECIFICATION	1.3B	1.4
Maximum total TMDS throughput (Gbit/s) including 8b/10b overhead	10.2	10.2
Maximum audio throughput (Mbit/s)	36.86	36.86
Maximum color depth (bit/px.)	48	48
Maximum resolution over single link at 24-bit/px	2560x1600p75	4096x2160p24
Maximum resolution over single link at 30-bit/px	2560x1600p60	4096x2160p24
Maximum resolution over single link at 36-bit/px	1920x1200p75	4096x2160p24
Maximum resolution over single link at 48-bit/px	1920x1200p60	1920x1200p60
sRGB	Yes	Yes
8 channel LPCM, 192 kHz, 24 bit audio capability	Yes	Yes
Blu-ray Disc and HD DVD video and audio at full resolution	Yes	Yes
DVD-Audio support	Yes	Yes
Super Audio CD (DSD) support	Yes	Yes
Dolby TrueHD bitstream capable	Yes	Yes
DTS-HD Master Audio bitstream capable	Yes	Yes
Stereoscopic 3D over HDMI	No	Yes
Ethernet channel	No	Yes
Audio return channel (ARC)	No	Yes