

SATRONICS AV CABLES ON ROLLS

MICROPHONE CABLE ON ROLLS



TAKSTAR : W2RS6BL/2 W2RS6R/2 W2RS6GN/2 W2RS6U/2 W2RS6Y/2 .

START : W2RS6BL/3 W2RS6R/3 W2RS6GN/3 W2RS6U/3 W2RS6Y/3 .

TAKSTAR

START

MICROPHONE CABLE

BALANCED LINE ,

DOUBLE SHIELD , BALANCED , ULTRA LOW NOISE
99% PURE COPPER CONDUCTORS
WITH COTTON PROTECTION

SPECIFICATION


64 X 0.12mm STRAND COPPER SHIELD
100% ALUMINIUM FOIL SHIELD
2 X 28 X 0.2mm STRAND COPPER CONDUCTORS
COTTON FILLER PROTECTOR
PVC SLEEVE 6mm OD



W2RS6BL

BALANCED MICROPHONE CABLE 6mm OD

SHIELD : 48 STRANDS COPPER 0.12mm OD
CONDUCTORS : 2 X - 7 STRANDS 0.25mm OD
PVC INSULATION



W2RS40BL


BALANCED MICROPHONE CABLE 4mm OD

SHIELD : 30 STRANDS COPPER 0.12mm OD
CONDUCTORS : 2 X - 15 STRANDS 0.12mm OD
PVC INSULATION

W1RS6BL

SINGLE MICROPHONE CABLE 5mm OD

5mm OD BLACK ONLY . AS SHOWN .



W1FS40B

SINGLE MICROPHONE CABLE 4mm OD

15 STRAND CENTRE , 30 STRAND SHIELD



START
with quality products .
SPEAKER WIRE

SATRONICS SPEAKER CABLES ON ROLLS 100M ON PLASTIC SPOOL




SPEAKER WIRE . 0.5mm² - 20AWG

SC05RB = RED / BLACK , 0.5mm² CCA

SC05WG = WITH / GREY , 0.5mm² CCA

SC05CT = CLEAR WITH RED LINE , 0.5mm²

2 X 28 / 0.15 STRANDS . OD : 2.2 X 4.4 mm



SC07 SPEAKER WIRE . 0.75mm² - 18AWG

SC07RB = RED / BLACK 0.75mm²

SC07WG = WITH / GREY 0.75mm²

SC07CT = CLEAR WITH RED LINE 0.75mm²

2 X 42 / 0.15 STRANDS . OD : 2.6 x 5.2 mm

SC10 SPEAKER WIRE . 1.0 mm² - 17AWG

SC07RB = RED / BLACK 1.0 mm²

SC07CT = CLEAR WITH RED LINE , 1.0mm²

2 X 56 / 0.15 STRANDS . OD : 2.8 x 5.6 mm



SC15CT SPEAKER WIRE . 1.5mm² - 15AWG

CLEAR WITH BLUE LINE

2 X 7x12 / 0.15 STRANDS . OD : 3.4 x 6.8 mm

SC20CT SPEAKER WIRE . 2.0mm² - 14AWG

CLEAR WITH RED LINE

2 X 7 x 16 / 0.15 STRANDS . OD : 3.8 x 7.6 mm

SC25CT SPEAKER WIRE . 2.5mm² - 13AWG

CLEAR WITH BLUE LINE

2 X 7 x 20 / 0.15 STRANDS . OD : 4.0 x 8.0 mm

SC30CT SPEAKER WIRE . 3.0mm² - 12AWG

CLEAR WITH RED LINE

2 X 7 x 24 / 0.15 STRANDS . OD : 4.5 x 9.0 mm



SATRONICS FLAT SCREENED AV CABLE

GENERAL PURPOSE LOW NOISE , LOW LOSS PATCHCORD CABLE
100 METER ROLLS



W2FS28GY

TWIN FLAT SCREEN CABLE GREY

OD : 2.8 X 5.6mm PVC

2 X INDIVIDUALLY SHIELDED CABLES

2 X 10 / 15 STRANDS COPPER WIRE

SUITABLE FOR RCA , 3,5 AUDIO PLUGS



W2FS28BL

TWIN FLAT SCREEN CABLE BLACK

OD : 2.8 X 5.6mm PVC

2 X INDIVIDUALLY SHIELDED CABLES

2 X 10 / 28 STRANDS COPPER WIRE

SUITABLE FOR LOW NOISE AUDIO



W2FS40U


TWIN FLAT SCREEN CABLE BLUE

OD : 4 X 8 mm PVC

2 X INDIVIDUALLY SHIELDED CABLES

2 X 10 / 30 STRANDS COPPER WIRE

SUITABLE FOR LOW NOISE AUDIO



W3FS28BL


TRIPLE FLAT SCREEN CABLE BLACK

OD : 2.8 X 8.4 mm PVC

3 X INDIVIDUALLY SHIELDED CABLES

3 X 10 / 15 STRANDS COPPER WIRE

SUITABLE FOR LOW NOISE AV CABLE , 3RCA



W3FS30U


TRIPLE FLAT SCREEN CABLE BLUE

OD : 3.0 X 9.0 mm PVC

3 X INDIVIDUALLY SHIELDED CABLES

3 X 10 / 30 STRANDS COPPER WIRE

SUITABLE FOR LOW NOISE AUDIO



W3AVU

AUDIO & VIDEO SCREEN CABLE

2 X 3mm AUDIO 1 X 3C2V (5mm) VIDEO CABLE

2 X AUDIO & 1 X C0-AX CABLE

2 X 10 / 20 STRAND , 1 X 3C2V CABLE

SUITABLE FOR LOW NOISE AUDIO VIDEO CABLE , 3RCA